



## Product Change Notice (PCN)

**Date: 5/15/2019**

**PCN Number: PCN-0451201R-01**

To Our Customers:

We appreciate your use of CUI products. Our commitment in maintaining and improving processes is demonstrated by plans to enhance our product quality, reliability and manufacturability. The purpose of this notice is to inform you of a product change.

Product(s) Affected: PJ-056, PJ-035-SMT-TR

Reason(s) for Change: The existing molds of PJ-056 and PJ-035-SMT-TR are unable to maintain efficient production. To ensure the quality and lead-time of production, a re-development of the mold has been processed. We have taken this opportunity to also optimize the product design to enhance the quality. The new mold will optimize the design, enhance the appearance, the electrical structure while function will remain the same (The comparison photos are available below).

Description of Change: Photos of changes included below.

Affected Date Code: 10/31/2019

Product Availability: Currently available

Additional Information: No change to form, fit, or function

PCN Approval:

Operations/Quality









A handwritten signature in black ink, appearing to read "Sam Wood".









---

Product Marketing

A handwritten signature in black ink, consisting of stylized initials.

# Comparison plastic housing as below:

	New version	Current version
Top	 <p>pin#3 marking at the back</p>	 <p>pin#3 marking on sides</p>
Back	 <p>thickness of pin#2 is 0.25mm</p>	 <p>thickness of pin#2 is 0.2mm</p>
Left	 <p>pin#3 with dent</p>	 <p>pin#3 without dent</p>
Right	 <p>pin# 3 with dent</p>	 <p>pin#3 without dent</p>

	New version	Current version
Top	 <p data-bbox="363 622 730 678">pin#3 marking at the back</p>	 <p data-bbox="1018 622 1326 678">pin#3 marking on sides</p>
Back	 <p data-bbox="363 1048 722 1104">thickness of pin#2 is 0.25mm</p>	 <p data-bbox="1007 1048 1342 1104">thickness of pin#2 is 0.2mm</p>
Left	 <p data-bbox="432 1485 687 1541">pin#3 with dent</p>	 <p data-bbox="1042 1485 1297 1541">pin#3 without dent</p>
Right	 <p data-bbox="419 1888 675 1944">pin#3 with dent</p>	 <p data-bbox="1050 1888 1305 1944">pin#3 without dent</p>